



## Index

---

Notes.....	2
Pre-installation .....	3
Maintenance openings .....	5
Data sheets for bathtubs and whirltubs .....	9

## Notes

---

### PLANNING

Before starting the installation, plan the layout in detail, taking the site conditions into consideration.

### TARGET READERSHIP AND QUALIFICATIONS

All work associated with the installation and water connection may only be undertaken by a plumber and all work associated with the electrical installation may only be undertaken by a licensed electrician.

### SAFETY INSTRUCTIONS

#### **Incorrect handling/transport may result in product damage.**

The metal frame and whirl system are not resilient.

- > Never hold by the metal frame or whirl system.

Improper transport can cause damage to the product and/or property damage, e.g. leaks.

- > Wear appropriate protective clothing.
- > Avoid knocks.

#### **Risk of product and/or property damage!**

The breach of local and country-specific regulations and standards can cause damage to the product and/or property damage.

- > Observe the local installation regulations and any country-specific standards at all times.

Duravit AG assumes no liability for the consequences of improper handling or improper transport.

## Pre-installation

### INSTALLATION LOCATION / INSTALLATION ROOM

> Make sure that the installation location fulfils the following criteria


<b>Doors / external access</b>	<ul style="list-style-type: none"> <li>Ensure that doors or other access openings are large enough to accommodate transport dimensions, keeping in mind the weight and need for sufficient manoeuvring room.</li> </ul>
<b>Required area</b>	<ul style="list-style-type: none"> <li>Allow for enough space around the tub for the installation.</li> </ul>
<b>Floor</b>	<ul style="list-style-type: none"> <li>Completely level.</li> <li>At a right angle to the wall.</li> <li>Note the overall strength of the floor structure including the floor finish.</li> <li>There must not be any underfloor heating under the tub.</li> <li>Install tubs <b>after</b> the tiles. (Top edge of finished floor).</li> <li>Depending on the combination of tub and whirl system it is possible that system components may protrude beyond the edge of the tub. We therefore recommend installation in a support frame.</li> <li><b>Tolerances for acrylic:</b> As a result of the manufacturing process, deviations from the nominal dimensions may occur within the limits specified in the DIN 198 standard. Please take this into account in your planning.</li> </ul>
<b>Wall</b>	<ul style="list-style-type: none"> <li>Tiled.</li> <li>At a right angle to the tub.</li> <li>Completely straight.</li> <li>Note the overall strength of the wall structure including the wall finish.</li> </ul>

### WATER INSTALLATION

#### NOTE

A pipe interrupter is absolutely essential for tubs with a base inlet (DIN EN 1717).

> Comply with assembly scheme.



#### Water connection

- Connections for the water supply and drains must be in compliance with the currently valid standards and public regulations.
- Position the water drain (DN 50) flush to the mounting surface or out of

the wall directly above the mounting surface; see drawing for recommended area.

### MAINTENANCE OPENINGS AND AIR SUPPLY

#### NOTE

It is recommended to install the tub with a removable bathtub panel due to the improved maintenance options.

#### Tiling the tub

The following maintenance openings must be provided:

- Cable-driven waste and overflow 200 x 200 mm
- Units 500 x 500 mm  
(Please see the section on "Maintenance openings")
- Control unit for coloured LED light 200 x 200 mm  
(Maintenance opening at the foot end)
- Provide an opening in the panel for the air supply with an effective area of approx. 15 cm<sup>2</sup> (e.g. 3 x 5 cm or 2 x 7.5 cm).

#### Tub with a panel

- The panel must be removed for maintenance, and with a seamless panel, the tub must be removed from the wall. Your plans should therefore include a clearance in front of the tub.
- The air supply for the whirl system (ventilation grille/ventilation slot) must not be covered.

### ELECTRICAL INSTALLATION



**DANGER**


**Risk of fatal electric shock**

- Disconnect the power supply while working on the electrical components.
- The device must be earthed. Earthed appliances must be permanently connected to fixed wiring.
- Connect the device only to the designated electrical cable.
- NEVER touch the power supply line with wet hands.

#### Pre-installation

- Lay a permanent power supply line which must be on a separate circuit.
  - The device itself does not have electrical leakage protection function. The device must be supplied through a residual current device (RCD) with a rated residual operating current not exceeding 30 mA.
  - Means for disconnection must be incorporated in the fixed wiring in accordance with the wiring rules and have a contact separation in all poles that provides full disconnection under overvoltage category III conditions outside the prescribed protection zones (0 – 2).
    - Leave 3000 mm of the supply line exposed.
- Lay an equipotential bonding cable:
  - Leave 3000 mm of cable exposed.
- Select a supply line cross-section based on the connected load on the identification plate (2.5 mm – 4 mm).
- Confirm that the grounding wire is 10 mm (3/8") longer than the L and N wire.
- Install a circuit breaker.

## PROTECTION ZONES



\* Or the height of the highest fixed-location shower head/water outlet, whichever is higher.

Combi-System L (# 760XXX XX X CL 10XX)	1.59 kW	2.64 kW
Jet System E (# 760XXX XX X JE 10XX)	1.14 kW	2.20 kW

### Power supply

# 76XXXX XX X XX XXX0: 220 – 240 V AC, 50 Hz  
# 76XXXX XX X XX XXX6: 220 – 240 V AC, 60 Hz

Fuse  $I_N = 16 \text{ A}$

RCD  $I_{\Delta N} \leq 30 \text{ mA}$

## COLOURED LED LIGHT/WHITE LED LIGHT UNDER THE EDGE OF THE TUB FOR BATHTUBS

### Electrical data

#### Power supply

Coloured LED light with remote control for bathtubs #790840 00 0 00 xx00	110 – 240 V AC, 50/60 Hz, 30 W
Coloured LED light with remote control for Blue Moon bathtub #790846 00 0 00 xx00	110 – 240 V AC, 50/60 Hz, 60 W
White LED light under the edge of the tub #791847 00 0 00 0000 #791848 00 0 00 0000 #791849 00 0 00 0000	220 – 240 V AC, 50/60 Hz, 50 W

Fuse  $I_N = 16 \text{ A}$

RCD  $I_{\Delta N} \leq 30 \text{ mA}$

## WHIRLTUBS

### Electrical data

Whirl system	Rated power with standard equipment	Max. rated power, fully-equipped
Air System (# 760XXX XX X AS 00XX)	0.76 kW	0.85 kW
Air System (DuraSolid) (# 760XXX XX X AS 00XX)	0.58 kW	0.58 kW
Jet Project (# 760XXX XX X JP 10XX)	0.66 kW	0.66 kW
Jet System (# 760XXX XX X JS 10XX)	0.59 kW	0.67 kW
Combi-System P (# 760XXX XX X CP 10XX)	1.89 kW	1.98 kW
Combi-System E (# 760XXX XX X CE 10XX)	1.91 kW	2.96 kW

## Maintenance openings

### Maintenance


Install the whirltub in such a way that all of the important equipment (pump, blower and control system) remains accessible. It is recommended to install the tub with a removable furniture panel for easy maintenance.

### Location of the whirl system components


The illustrations show the standard configuration for the components of the whirl system\* with the location of the operating unit. The back massage is located at the head end (depending on the whirl system).

Custom-made designs available on request. In such cases we will require a drawing showing the desired layout. Duravit will confirm whether the desired layout can be implemented.

#### Blue Moon




# 760143




# 760402


#### Cape Cod




# 760330



# 760362




# 760363




# 760364


#### Darling New




# 760242




# 760243




# 760244, # 760245



# 760246




# 760247




# 760248


#### D-Code




# 760095, # 760096,  
# 760098, # 760100




# 760097, # 760099



# 760101




# 760137




# 760138

\* Please note that depending on the combination of tub and whirl system it is possible that system components may protrude beyond the edge of the tub. We therefore recommend installation in a support frame


### DuraSquare




# 760426



# 760427




# 760428, # 760429




# 760430


### DuraStyle



# 760292, # 760294, # 760296




# 760293, # 760295, # 760297




# 760298, # 760299


### Happy D.2




# 760308, # 760310, # 760312




# 760309, # 760311, # 760313




# 760314, # 760315



# 760316




# 760317




# 760318


### Happy D.2 Plus




# 760449



# 760450




# 760451




# 760453


### Luv



# 760431




# 760432




# 760433


### P3 Comforts




# 760371, # 760373, # 760375




# 760372, # 760374, # 760376




# 760377, # 760378



# 760379




# 760380




# 760381


### Paiova




# 760212, # 760214, # 760216




# 760213, # 760215, # 760217




# 760264, # 760266, # 760268




# 760265, # 760267, # 760269




# 760390, # 760392



# 760391, # 760393




# 760394, # 760396




# 760395, # 760397


### Starck




# 760050, # 760331, # 760332,  
# 760333, # 760334, # 760335,  
# 760336, # 760337




# 760052, # 760338, # 760339,  
# 760340, # 760341




# 760009



# 760010




# 760011




# 760012


## Vero Air



# 760411, # 760412




# 760413, # 760414




# 760415, # 760416, # 760417,  
# 760418


## Vero



# 760133



# 760134



# 760135, # 760136

## Legend



Unit 1



Unit 2\*



Control panel\*\*



Suction  
screen



Pull  
button



Tap module



Recommended  
equipment covers



Recommended  
equipment covers\*\*\*

\* Only Combi-Systems / \*\* The number of operating elements is based on the whirl system and the additional modules selected / \*\*\* Only necessary for Combi-System E/L in combination with sound and/or coloured LED light




## Data sheets for bathtubs and whirltubs

---


## Pre-installation Paiova # 700390/760390

1770 x 1300 x 440


Design by E00S




- H** Hot water connection
- C** Cold water connection
- D** Drain connection
- MW** Mixed water connection for waste and overflow with water inlet or with base inlet
- EC** Electricity connection




Siphon for bathtub # 700390



Siphon with base inlet for bathtub # 700390



Siphon for whirltub # 760390



Siphon with base inlet for whirltub # 760390

	Height	including feet
<b>X</b> Bathtub	460	580 - 650
<b>X</b> Whirltub	460	580 - 615


### Technical specifications

Net weight kg	Floor load kg/m <sup>2</sup>	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, ID	Whirlsystem	Model-No.
37,0	131	68,0	200 x 80 x 159	3/4"		700390 00 0 00 0000
48,0	136	97,0	184 x 144 x 94	3/4"	Air-System	760390 00 0 AS 0000
52,0	138	101,0	184 x 144 x 94	3/4"	Jet-System	760390 00 0 JS 1000
57,0	140	106,0	184 x 144 x 94	3/4"	Combi-System P	760390 00 0 CP 1000
70,0 - 77,0	146 - 149	119,0 - 126,0	184 x 144 x 94	3/4"	Combi-System E	760390 00 0 CE 1000
77,0 - 84,0	149 - 152	126,0 - 133,0	184 x 144 x 94	3/4"	Combi-System L	760390 00 0 CL 1000


## Pre-installation Paiova # 700394/760394

↳ 1770 x 1300 x 440 ›


Design by E00S




- H** Hot water connection
- C** Cold water connection
- D** Drain connection
- MW** Mixed water connection for waste and overflow with water inlet or with base inlet
- EC** Electricity connection




Siphon for bathtub # 700394



Siphon with base inlet for bathtub # 700394



Siphon for whirltub # 760394



Siphon with base inlet for whirltub # 760394


### Technical specifications

Net weight kg	Floor load kg/m <sup>2</sup>	Shipping weight kg	Shipping dimensions (l x w x h (cm))	Water inlet OD, ID	Whirlsystem	Model-No.
75,0	148	133,0	181 x 146 x 78	3/4"		700394 00 0 00 0000
82,0	151	140,0	181 x 146 x 78	3/4"	Air-System	760394 00 0 AS 0000
85,0	152	143,0	181 x 146 x 78	3/4"	Jet-System	760394 00 0 JS 1000
91,0	155	149,0	181 x 146 x 78	3/4"	Combi-System P	760394 00 0 CP 1000
104,0 - 111,0	160 - 163	162,0 - 169,0	181 x 146 x 78	3/4"	Combi-System E	760394 00 0 CE 1000
111,0 - 118,0	163 - 166	169,0 - 176,0	181 x 146 x 78	3/4"	Combi-System L	760394 00 0 CL 1000


## Pre-installation Paiova # 700391/760391

↳ 1770 x 1300 x 440 ›


Design by E00S




- H** Hot water connection
- C** Cold water connection
- D** Drain connection
- MW** Mixed water connection for waste and overflow with water inlet or with base inlet
- EC** Electricity connection




Siphon for bathtub # 700391



Siphon with base inlet for bathtub # 700391



Siphon for whirltub # 760391



Siphon with base inlet for whirltub # 760391

	Height	including feet
<b>X</b> Bathtub	460	580 - 650
<b>X</b> Whirltub	460	580 - 615


### Technical specifications

Net weight kg	Floor load kg/m <sup>2</sup>	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, ID	Whirlsystem	Model-No.
37,0	131	68,0	200 x 80 x 159	3/4"		<b>700391 00 0 00 0000</b>
48,0	136	97,0	184 x 144 x 94	3/4"	Air-System	<b>760391 00 0 AS 0000</b>
52,0	138	101,0	184 x 144 x 94	3/4"	Jet-System	<b>760391 00 0 JS 1000</b>
57,0	140	106,0	184 x 144 x 94	3/4"	Combi-System P	<b>760391 00 0 CP 1000</b>
70,0 - 77,0	146 - 149	119,0 - 126,0	184 x 144 x 94	3/4"	Combi-System E	<b>760391 00 0 CE 1000</b>
77,0 - 84,0	149 - 152	126,0 - 133,0	184 x 144 x 94	3/4"	Combi-System L	<b>760391 00 0 CL 1000</b>


## Pre-installation Paiova # 700395/760395

↳ 1770 x 1300 x 440 ›


Design by E00S




- H** Hot water connection
- C** Cold water connection
- D** Drain connection
- MW** Mixed water connection for waste and overflow with water inlet or with base inlet
- EC** Electricity connection




Siphon for bathtub # 700395



Siphon with base inlet for bathtub # 700395



Siphon for whirltub # 760395



Siphon with base inlet for whirltub # 760395


### Technical specifications

Net weight kg	Floor load kg/m <sup>2</sup>	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, ID	Whirlsystem	Model-No.
75,0	148	133,0	181 x 146 x 78	3/4"		700395 00 0 00 0000
82,0	151	140,0	181 x 146 x 78	3/4"	Air-System	760395 00 0 AS 0000
85,0	152	143,0	181 x 146 x 78	3/4"	Jet-System	760395 00 0 JS 1000
91,0	155	149,0	181 x 146 x 78	3/4"	Combi-System P	760395 00 0 CP 1000
104,0 - 111,0	160 - 163	162,0 - 169,0	181 x 146 x 78	3/4"	Combi-System E	760395 00 0 CE 1000
111,0 - 118,0	163 - 166	169,0 - 176,0	181 x 146 x 78	3/4"	Combi-System L	760395 00 0 CL 1000


## Pre-installation Paiova # 700392/760392

↳ 1900 x 1400 x 440 ›


Design by E00S




- H** Hot water connection
- C** Cold water connection
- D** Drain connection
- MW** Mixed water connection for waste and overflow with water inlet or with base inlet
- EC** Electricity connection




Siphon for bathtub # 700392



Siphon with base inlet for bathtub # 700392



Siphon for whirltub # 760392



Siphon with base inlet for whirltub # 760392

	Height	including feet
<b>X</b> Bathtub	460	580 - 650
<b>X</b> Whirltub	460	580 - 615


### Technical specifications

Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, ID	Whirlsystem	Model-No.
40,0	138	75,0	200 x 80 x 159	3/4"		<b>700392 00 0 00 0000</b>
51,0	142	97,0	197 x 148 x 93	3/4"	Air-System	<b>760392 00 0 AS 0000</b>
55,0	144	101,0	197 x 148 x 93	3/4"	Jet-System	<b>760392 00 0 JS 1000</b>
60,0	145	106,0	197 x 148 x 93	3/4"	Combi-System P	<b>760392 00 0 CP 1000</b>
73,0 - 80,0	150 - 153	119,0 - 126,0	197 x 148 x 93	3/4"	Combi-System E	<b>760392 00 0 CE 1000</b>
80,0 - 87,0	153 - 156	126,0 - 133,0	197 x 148 x 93	3/4"	Combi-System L	<b>760392 00 0 CL 1000</b>


## Pre-installation Paiova # 700396/760396

↳ 1900 x 1400 x 440 ⌋


Design by E00S




- H** Hot water connection
- C** Cold water connection
- D** Drain connection
- MW** Mixed water connection for waste and overflow with water inlet or with base inlet
- EC** Electricity connection




Siphon for bathtub # 700396



Siphon with base inlet for bathtub # 700396



Siphon for whirltub # 760396



Siphon with base inlet for whirltub # 760396


### Technical specifications

Net weight kg	Floor load kg/m <sup>2</sup>	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, ID	Whirlsystem	Model-No.
85,0	155	158,0	199 x 158 x 78	3/4"		700396 00 0 00 0000
92,0	158	165,0	199 x 158 x 78	3/4"	Air-System	760396 00 0 AS 0000
95,0	159	168,0	199 x 158 x 78	3/4"	Jet-System	760396 00 0 JS 1000
101,0	161	174,0	199 x 158 x 78	3/4"	Combi-System P	760396 00 0 CP 1000
114,0 - 121,0	166 - 168	187,0 - 194,0	199 x 158 x 78	3/4"	Combi-System E	760396 00 0 CE 1000
121,0 - 128,0	168 - 171	194,0 - 201,0	199 x 158 x 78	3/4"	Combi-System L	760396 00 0 CL 1000


## Pre-installation Paiova # 700393/760393

✂ 1900 x 1400 x 440 ✂


Design by E00S




- H** Hot water connection
- C** Cold water connection
- D** Drain connection
- MW** Mixed water connection for waste and overflow with water inlet or with base inlet
- EC** Electricity connection




Siphon for bathtub # 700393



Siphon with base inlet for bathtub # 700393



Siphon for whirltub # 760393



Siphon with base inlet for whirltub # 760393

	Height	including feet
<b>X</b> Bathtub	460	580 - 650
<b>X</b> Whirltub	460	580 - 615

### Technical specifications


Net weight kg	Floor load kg/m <sup>2</sup>	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, ID	Whirlsystem	Model-No.
40,0	138	75,0	200 x 80 x 159	3/4"		<b>700393 00 0 00 0000</b>
51,0	142	97,0	197 x 148 x 93	3/4"	Air-System	<b>760393 00 0 AS 0000</b>
55,0	144	101,0	197 x 148 x 93	3/4"	Jet-System	<b>760393 00 0 JS 1000</b>
60,0	145	106,0	197 x 148 x 93	3/4"	Combi-System P	<b>760393 00 0 CP 1000</b>
73,0 - 80,0	150 - 153	119,0 - 126,0	197 x 148 x 93	3/4"	Combi-System E	<b>760393 00 0 CE 1000</b>
80,0 - 87,0	153 - 156	126,0 - 133,0	197 x 148 x 93	3/4"	Combi-System L	<b>760393 00 0 CL 1000</b>




## Pre-installation Paiova # 700397/760397

↳ 1900 x 1400 x 440 ›


Design by E00S




- H** Hot water connection
- C** Cold water connection
- D** Drain connection
- MW** Mixed water connection for waste and overflow with water inlet or with base inlet
- EC** Electricity connection




Siphon for bathtub # 700397



Siphon with base inlet for bathtub # 700397



Siphon for whirltub # 760397



Siphon with base inlet for whirltub # 760397

### Technical specifications


Net weight kg	Floor load kg/m <sup>2</sup>	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, ID	Whirlsystem	Model-No.
85,0	155	158,0	199 x 158 x 78	3/4"		700397 00 0 00 0000
92,0	158	165,0	199 x 158 x 78	3/4"	Air-System	760397 00 0 AS 0000
95,0	159	168,0	199 x 158 x 78	3/4"	Jet-System	760397 00 0 JS 1000
101,0	161	174,0	199 x 158 x 78	3/4"	Combi-System P	760397 00 0 CP 1000
114,0 - 121,0	166 - 168	187,0 - 194,0	199 x 158 x 78	3/4"	Combi-System E	760397 00 0 CE 1000
121,0 - 128,0	168 - 171	194,0 - 201,0	199 x 158 x 78	3/4"	Combi-System L	760397 00 0 CL 1000




## Pre-installation Paiova # 700271/760271

✂ 1700 x 1000 x 460 ✂


Design by E00S




- H** Hot water connection
- C** Cold water connection
- D** Drain connection
- MW1** Mixed water connection for waste and overflow with water inlet
- MW2** Mixed water connection for waste and overflow with base inlet
- EC** Electricity connection




Siphon for bathtub # 700271



Siphon with base inlet for bathtub # 700271



Siphon for whirltub # 760271



Siphon with base inlet for whirltub # 760271

	Height	including acrylic panel
<b>X</b> Bathtub	485	600
<b>X</b> Whirltub	485	600


### Technical specifications

Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, ID	Whirlsystem	Model-No.
76,3	195	111,3	180 x 110 x 77	3/4", 1/2"		<b>700271 00 0 00 0000</b>
83,0	199	118,0	180 x 110 x 77	3/4"	Air-System	<b>760271 00 0 AS 0000</b>
86,0	201	121,0	180 x 110 x 77	3/4"	Jet-System	<b>760271 00 0 JS 1000</b>
92,0	204	127,0	180 x 110 x 77	3/4"	Combi-System P	<b>760271 00 0 CP 1000</b>
105,0 - 112,0	212 - 216	140,0 - 147,0	180 x 110 x 77	3/4"	Combi-System E	<b>760271 00 0 CE 1000</b>
112,0 - 119,0	216 - 220	147,0 - 154,0	180 x 110 x 77	3/4"	Combi-System L	<b>760271 00 0 CL 1000</b>


## Pre-installation Paiova # 700212/760212

✂ 1700 x 1000 x 460 ✂


Design by E00S




- H** Hot water connection
- C** Cold water connection
- D** Drain connection
- MW1** Mixed water connection for waste and overflow with water inlet
- MW2** Mixed water connection for waste and overflow with base inlet
- EC** Electricity connection




Siphon for bathtub # 700212



Siphon with base inlet for bathtub # 700212



Siphon for whirltub # 760212



Siphon with base inlet for whirltub # 760212

	Height	including feet	including support
<b>X</b> Bathtub	485	605 - 675	~ 590
<b>X</b> Whirltub	485	600 - 640	-


### Technical specifications

Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, ID	Whirlsystem	Model-No.
31,0	159	46,0	120 x 80 x 195	3/4", 1/2"		700212 00 0 00 0000
42,0	166	84,0	202 x 105 x 86	3/4"	Air-System	760212 00 0 AS 0000
46,0	168	88,0	202 x 105 x 86	3/4"	Jet-System	760212 00 0 JS 1000
51,0	171	93,0	202 x 105 x 86	3/4"	Combi-System P	760212 00 0 CP 1000
64,0 - 71,0	179 - 183	106,0 - 113,0	202 x 105 x 86	3/4"	Combi-System E	760212 00 0 CE 1000
71,0 - 78,0	183 - 187	113,0 - 120,0	202 x 105 x 86	3/4"	Combi-System L	760212 00 0 CL 1000


## Pre-installation Paiova # 700218/760218

↳ 1700 x 1000 x 460 ⌋


Design by E00S




- H** Hot water connection
- C** Cold water connection
- D** Drain connection
- MW1** Mixed water connection for waste and overflow with water inlet
- MW2** Mixed water connection for waste and overflow with base inlet
- EC** Electricity connection




Siphon for bathtub # 700218



Siphon with base inlet for bathtub # 700218



Siphon for whirltub # 760218



Siphon with base inlet for whirltub # 760218

	Height	including panel
<b>X</b> Bathtub	485	600
<b>X</b> Whirltub	485	600


### Technical specifications

Net weight kg	Floor load kg/m <sup>2</sup>	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, ID	Whirlsystem	Model-No.
46,0	168	88,0	201 x 105 x 86	3/4", 1/2"		<b>700218 00 0 00 0000</b>
53,0	172	95,0	201 x 105 x 86	3/4"	Air-System	<b>760218 00 0 AS 0000</b>
56,0	174	98,0	201 x 105 x 86	3/4"	Jet-System	<b>760218 00 0 JS 1000</b>
62,0	178	104,0	201 x 105 x 86	3/4"	Combi-System P	<b>760218 00 0 CP 1000</b>
75,0 - 82,0	185 - 189	117,0 - 124,0	201 x 105 x 86	3/4"	Combi-System E	<b>760218 00 0 CE 1000</b>
82,0 - 89,0	189 - 194	124,0 - 131,0	201 x 105 x 86	3/4"	Combi-System L	<b>760218 00 0 CL 1000</b>


## Pre-installation Paiova # 700264/760264

✂ 1700 x 1000 x 460 ✂


Design by E00S




- H** Hot water connection
- C** Cold water connection
- D** Drain connection
- MW1** Mixed water connection for waste and overflow with water inlet
- MW2** Mixed water connection for waste and overflow with base inlet
- EC** Electricity connection




Siphon for bathtub # 700264



Siphon with base inlet for bathtub # 700264



Siphon for whirltub # 760264



Siphon with base inlet for whirltub # 760264

	Height	including acrylic panel
<b>X</b> Bathtub	485	600
<b>X</b> Whirltub	485	600


### Technical specifications

Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, ID	Whirlsystem	Model-No.
68,0	175	103,0	180 x 110 x 77	3/4", 1/2"		<b>700264 00 0 00 0000</b>
75,0	179	110,0	180 x 110 x 77	3/4"	Air-System	<b>760264 00 0 AS 0000</b>
78,0	181	113,0	180 x 110 x 77	3/4"	Jet-System	<b>760264 00 0 JS 1000</b>
84,0	185	119,0	180 x 110 x 77	3/4"	Combi-System P	<b>760264 00 0 CP 1000</b>
97,0 - 104,0	192 - 196	132,0 - 139,0	180 x 110 x 77	3/4"	Combi-System E	<b>760264 00 0 CE 1000</b>
104,0 - 111,0	196 - 201	139,0 - 146,0	180 x 110 x 77	3/4"	Combi-System L	<b>760264 00 0 CL 1000</b>


## Pre-installation Paiova # 700213/760213

↳ 1700 x 1000 x 460 ⌋


Design by E00S




- H** Hot water connection
- C** Cold water connection
- D** Drain connection
- MW1** Mixed water connection for waste and overflow with water inlet
- MW2** Mixed water connection for waste and overflow with base inlet
- EC** Electricity connection




Siphon for bathtub # 700213



Siphon with base inlet for bathtub # 700213



Siphon for whirltub # 760213



Siphon with base inlet for whirltub # 760213

	Height	including feet	including support
<b>X</b> Bathtub	485	605 - 675	~ 590
<b>X</b> Whirltub	485	600 - 640	-


### Technical specifications

Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, ID	Whirlsystem	Model-No.
31,0	159	46,0	120 x 80 x 195	3/4", 1/2"		<b>700213 00 0 00 0000</b>
42,0	166	84,0	202 x 105 x 86	3/4"	Air-System	<b>760213 00 0 AS 0000</b>
46,0	168	88,0	202 x 105 x 86	3/4"	Jet-System	<b>760213 00 0 JS 1000</b>
51,0	171	93,0	202 x 105 x 86	3/4"	Combi-System P	<b>760213 00 0 CP 1000</b>
64,0 - 71,0	179 - 183	106,0 - 113,0	202 x 105 x 86	3/4"	Combi-System E	<b>760213 00 0 CE 1000</b>
71,0 - 78,0	183 - 187	113,0 - 120,0	202 x 105 x 86	3/4"	Combi-System L	<b>760213 00 0 CL 1000</b>


## Pre-installation Paiova # 700219/760219

↳ 1700 x 1000 x 460 ⌋


Design by E00S




- H** Hot water connection
- C** Cold water connection
- D** Drain connection
- MW1** Mixed water connection for waste and overflow with water inlet
- MW2** Mixed water connection for waste and overflow with base inlet
- EC** Electricity connection




Siphon for bathtub # 700219



Siphon with base inlet for bathtub # 700219



Siphon for whirltub # 760219



Siphon with base inlet for whirltub # 760219

	Height	including panel
<b>X</b> Bathtub	485	600
<b>X</b> Whirltub	485	600

### Technical specifications


Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, ID	Whirlsystem	Model-No.
46,0	168	88,0	201 x 105 x 86	3/4", 1/2"		<b>700219 00 0 00 0000</b>
53,0	172	95,0	201 x 105 x 86	3/4"	Air-System	<b>760219 00 0 AS 0000</b>
56,0	174	98,0	201 x 105 x 86	3/4"	Jet-System	<b>760219 00 0 JS 1000</b>
62,0	178	104,0	201 x 105 x 86	3/4"	Combi-System P	<b>760219 00 0 CP 1000</b>
75,0 - 82,0	185 - 189	117,0 - 124,0	201 x 105 x 86	3/4"	Combi-System E	<b>760219 00 0 CE 1000</b>
82,0 - 89,0	189 - 194	124,0 - 131,0	201 x 105 x 86	3/4"	Combi-System L	<b>760219 00 0 CL 1000</b>




## Pre-installation Paiova # 700265/760265

↳ 1700 x 1000 x 460 ⌋


Design by E00S




- H** Hot water connection
- C** Cold water connection
- D** Drain connection
- MW1** Mixed water connection for waste and overflow with water inlet
- MW2** Mixed water connection for waste and overflow with base inlet
- EC** Electricity connection




Siphon for bathtub # 700265



Siphon with base inlet for bathtub # 700265



Siphon for whirltub # 760265



Siphon with base inlet for whirltub # 760265

	Height	including acrylic panel
<b>X</b> Bathtub	485	600
<b>X</b> Whirltub	485	600


### Technical specifications

Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, ID	Whirlsystem	Model-No.
68,0	175	103,0	180 x 110 x 77	3/4", 1/2"		<b>700265 00 0 00 0000</b>
75,0	179	110,0	180 x 110 x 77	3/4"	Air-System	<b>760265 00 0 AS 0000</b>
78,0	181	113,0	180 x 110 x 77	3/4"	Jet-System	<b>760265 00 0 JS 1000</b>
84,0	185	119,0	180 x 110 x 77	3/4"	Combi-System P	<b>760265 00 0 CP 1000</b>
97,0 - 104,0	192 - 196	132,0 - 139,0	180 x 110 x 77	3/4"	Combi-System E	<b>760265 00 0 CE 1000</b>
104,0 - 111,0	196 - 201	139,0 - 146,0	180 x 110 x 77	3/4"	Combi-System L	<b>760265 00 0 CL 1000</b>


## Pre-installation Paiova # 700214/760214

↳ 1700 x 1300 x 460 ⌋


Design by E00S




- H** Hot water connection
- C** Cold water connection
- D** Drain connection
- MW1** Mixed water connection for waste and overflow with water inlet
- MW2** Mixed water connection for waste and overflow with base inlet
- EC** Electricity connection




Siphon for bathtub # 700214



Siphon with base inlet for bathtub # 700214



Siphon for whirltub # 760214



Siphon with base inlet for whirltub # 760214

	Height	including feet	including support
<b>X</b> Bathtub	485	605 - 675	~ 590
<b>X</b> Whirltub	485	600 - 640	-

### Technical specifications


Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, ID	Whirlsystem	Model-No.
40,0	152	83,0	200 x 80 x 159	3/4", 1/2"		700214 00 0 00 0000
51,0	157	100,0	184 x 144 x 94	3/4"	Air-System	760214 00 0 AS 0000
55,0	158	104,0	184 x 144 x 94	3/4"	Jet-System	760214 00 0 JS 1000
60,0	161	109,0	184 x 144 x 94	3/4"	Combi-System P	760214 00 0 CP 1000
73,0 - 80,0	167 - 170	122,0 - 129,0	184 x 144 x 94	3/4"	Combi-System E	760214 00 0 CE 1000
80,0 - 87,0	170 - 173	129,0 - 136,0	184 x 144 x 94	3/4"	Combi-System L	760214 00 0 CL 1000




## Pre-installation Paiova # 700220/760220

✂ 1700 x 1300 x 460 ✂


Design by E00S




- H** Hot water connection
- C** Cold water connection
- D** Drain connection
- MW1** Mixed water connection for waste and overflow with water inlet
- MW2** Mixed water connection for waste and overflow with base inlet
- EC** Electricity connection




Siphon for bathtub # 700220



Siphon with base inlet for bathtub # 700220



Siphon for whirltub # 760220



Siphon with base inlet for whirltub # 760220

	Height	including panel
<b>X</b> Bathtub	485	600
<b>X</b> Whirltub	485	600


### Technical specifications

Net weight kg	Floor load kg/m <sup>2</sup>	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, ID	Whirlsystem	Model-No.
55,0	158	104,0	200 x 80 x 159	3/4", 1/2"		700220 00 0 00 0000
62,0	162	111,0	184 x 144 x 94	3/4"	Air-System	760220 00 0 AS 0000
65,0	163	114,0	184 x 144 x 94	3/4"	Jet-System	760220 00 0 JS 1000
71,0	166	120,0	184 x 144 x 94	3/4"	Combi-System P	760220 00 0 CP 1000
84,0 - 91,0	171 - 175	133,0 - 140,0	184 x 144 x 94	3/4"	Combi-System E	760220 00 0 CE 1000
91,0 - 98,0	175 - 178	140,0 - 147,0	184 x 144 x 94	3/4"	Combi-System L	760220 00 0 CL 1000


## Pre-installation Paiova # 700222/760222

✂ 1800 x 1400 x 460 ✂


Design by E00S




- H** Hot water connection
- C** Cold water connection
- D** Drain connection
- MW1** Mixed water connection for waste and overflow with water inlet
- MW2** Mixed water connection for waste and overflow with base inlet
- EC** Electricity connection




Siphon for bathtub # 700222



Siphon with base inlet for bathtub # 700222



Siphon for whirltub # 760222



Siphon with base inlet for whirltub # 760222

	Height	including panel
<b>X</b> Bathtub	485	600
<b>X</b> Whirltub	485	600


### Technical specifications

Net weight kg	Floor load kg/m <sup>2</sup>	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, ID	Whirlsystem	Model-No.
60,0	173	109,0	200 x 80 x 159	3/4", 1/2"		700222 00 0 00 0000
67,0	175	116,0	184 x 144 x 94	3/4"	Air-System	760222 00 0 AS 0000
70,0	177	119,0	184 x 144 x 94	3/4"	Jet-System	760222 00 0 JS 1000
76,0	179	125,0	184 x 144 x 94	3/4"	Combi-System P	760222 00 0 CP 1000
89,0 - 96,0	184 - 187	138,0 - 145,0	184 x 144 x 94	3/4"	Combi-System E	760222 00 0 CE 1000
96,0 - 103,0	187 - 190	145,0 - 152,0	184 x 144 x 94	3/4"	Combi-System L	760222 00 0 CL 1000


## Pre-installation Paiova # 700266/760266

↳ 1700 x 1300 x 460 ⌋


Design by E00S




- H** Hot water connection
- C** Cold water connection
- D** Drain connection
- MW1** Mixed water connection for waste and overflow with water inlet
- MW2** Mixed water connection for waste and overflow with base inlet
- EC** Electricity connection




Siphon for bathtub # 700266



Siphon with base inlet for bathtub # 700266



Siphon for whirltub # 760266



Siphon with base inlet for whirltub # 760266

	Height	including acrylic panel
<b>X</b> Bathtub	485	600
<b>X</b> Whirltub	485	600


### Technical specifications

Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, ID	Whirlsystem	Model-No.
70,5	161	112,5	180 x 140 x 77	3/4", 1/2"		<b>700266 00 0 00 0000</b>
77,0	164	119,0	180 x 140 x 77	3/4"	Air-System	<b>760266 00 0 AS 0000</b>
80,0	165	122,0	180 x 140 x 77	3/4"	Jet-System	<b>760266 00 0 JS 1000</b>
86,0	168	128,0	180 x 140 x 77	3/4"	Combi-System P	<b>760266 00 0 CP 1000</b>
99,0 - 106,0	174 - 177	141,0 - 148,0	180 x 140 x 77	3/4"	Combi-System E	<b>760266 00 0 CE 1000</b>
106,0 - 113,0	177 - 180	148,0 - 155,0	180 x 140 x 77	3/4"	Combi-System L	<b>760266 00 0 CL 1000</b>


## Pre-installation Paiova # 700268/760268

✂ 1800 x 1400 x 460 ✂


Design by E00S




- H** Hot water connection
- C** Cold water connection
- D** Drain connection
- MW1** Mixed water connection for waste and overflow with water inlet
- MW2** Mixed water connection for waste and overflow with base inlet
- EC** Electricity connection




Siphon for bathtub # 700268



Siphon with base inlet for bathtub # 700268



Siphon for whirltub # 760268



Siphon with base inlet for whirltub # 760268

	Height	including acrylic panel
<b>X</b> Bathtub	485	600
<b>X</b> Whirltub	485	600


### Technical specifications

Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, ID	Whirlsystem	Model-No.
80,0	173	128,0	190 x 150 x 77	3/4", 1/2"		<b>700268 00 0 00 0000</b>
87,0	175	135,0	190 x 150 x 77	3/4"	Air-System	<b>760268 00 0 AS 0000</b>
90,0	177	138,0	190 x 150 x 77	3/4"	Jet-System	<b>760268 00 0 JS 1000</b>
96,0	179	144,0	190 x 150 x 77	3/4"	Combi-System P	<b>760268 00 0 CP 1000</b>
109,0 - 116,0	184 - 187	157,0 - 164,0	190 x 150 x 77	3/4"	Combi-System E	<b>760268 00 0 CE 1000</b>
116,0 - 123,0	187 - 190	164,0 - 171,0	190 x 150 x 77	3/4"	Combi-System L	<b>760268 00 0 CL 1000</b>


## Pre-installation Paiova # 700215/760215

✂ 1700 x 1300 x 460 ✂


Design by E00S




- H** Hot water connection
- C** Cold water connection
- D** Drain connection
- MW1** Mixed water connection for waste and overflow with water inlet
- MW2** Mixed water connection for waste and overflow with base inlet
- EC** Electricity connection




Siphon for bathtub # 700215



Siphon with base inlet for bathtub # 700215



Siphon for whirltub # 760215



Siphon with base inlet for whirltub # 760215

	Height	including feet	including support
<b>X</b> Bathtub	485	605 - 675	~ 590
<b>X</b> Whirltub	485	600 - 640	-

### Technical specifications

Net weight kg	Floor load kg/m <sup>2</sup>	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, ID	Whirlsystem	Model-No.
40,0	152	83,0	200 x 80 x 159	3/4", 1/2"		<b>700215 00 0 00 0000</b>
51,0	157	100,0	184 x 144 x 94	3/4"	Air-System	<b>760215 00 0 AS 0000</b>
55,0	158	104,0	184 x 144 x 94	3/4"	Jet-System	<b>760215 00 0 JS 1000</b>
60,0	161	109,0	184 x 144 x 94	3/4"	Combi-System P	<b>760215 00 0 CP 1000</b>
73,0 - 80,0	167 - 170	122,0 - 129,0	184 x 144 x 94	3/4"	Combi-System E	<b>760215 00 0 CE 1000</b>
80,0 - 87,0	170 - 173	129,0 - 136,0	184 x 144 x 94	3/4"	Combi-System L	<b>760215 00 0 CL 1000</b>







## Pre-installation Paiova # 700221/760221

↳ 1700 x 1300 x 460 ↲


Design by E00S




- H** Hot water connection
- C** Cold water connection
- D** Drain connection
- MW1** Mixed water connection for waste and overflow with water inlet
- MW2** Mixed water connection for waste and overflow with base inlet
- EC** Electricity connection




Siphon for bathtub # 700221



Siphon with base inlet for bathtub # 700221



Siphon for whirltub # 760221



Siphon with base inlet for whirltub # 760221

	Height	including panel
<b>X</b> Bathtub	485	600
<b>X</b> Whirltub	485	600


### Technical specifications

Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, ID	Whirlsystem	Model-No.
55,0	158	104,0	200 x 80 x 159	3/4", 1/2"		700221 00 0 00 0000
62,0	162	111,0	184 x 144 x 94	3/4"	Air-System	760221 00 0 AS 0000
65,0	163	114,0	184 x 144 x 94	3/4"	Jet-System	760221 00 0 JS 1000
71,0	166	120,0	184 x 144 x 94	3/4"	Combi-System P	760221 00 0 CP 1000
84,0 - 91,0	171 - 175	133,0 - 140,0	184 x 144 x 94	3/4"	Combi-System E	760221 00 0 CE 1000
91,0 - 98,0	175 - 178	140,0 - 147,0	184 x 144 x 94	3/4"	Combi-System L	760221 00 0 CL 1000


## Pre-installation Paiova # 700223/760223

↳ 1800 x 1400 x 460 ⌋


Design by E00S




- H** Hot water connection
- C** Cold water connection
- D** Drain connection
- MW1** Mixed water connection for waste and overflow with water inlet
- MW2** Mixed water connection for waste and overflow with base inlet
- EC** Electricity connection




Siphon for bathtub # 700223



Siphon with base inlet for bathtub # 700223



Siphon for whirltub # 760223



Siphon with base inlet for whirltub # 760223

	Height	including panel
<b>X</b> Bathtub	485	600
<b>X</b> Whirltub	485	600


### Technical specifications

Net weight kg	Floor load kg/m <sup>2</sup>	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, ID	Whirlsystem	Model-No.
60,0	173	109,0	200 x 80 x 159	3/4", 1/2"		700223 00 0 00 0000
67,0	175	116,0	184 x 144 x 94	3/4"	Air-System	760223 00 0 AS 0000
70,0	177	119,0	184 x 144 x 94	3/4"	Jet-System	760223 00 0 JS 1000
76,0	179	125,0	184 x 144 x 94	3/4"	Combi-System P	760223 00 0 CP 1000
89,0 - 96,0	184 - 187	138,0 - 145,0	184 x 144 x 94	3/4"	Combi-System E	760223 00 0 CE 1000
96,0 - 103,0	187 - 190	145,0 - 152,0	184 x 144 x 94	3/4"	Combi-System L	760223 00 0 CL 1000


## Pre-installation Paiova # 700267/760267

✂ 1700 x 1300 x 460 ✂


Design by E00S




- H** Hot water connection
- C** Cold water connection
- D** Drain connection
- MW1** Mixed water connection for waste and overflow with water inlet
- MW2** Mixed water connection for waste and overflow with base inlet
- EC** Electricity connection




Siphon for bathtub # 700267



Siphon with base inlet for bathtub # 700267



Siphon for whirltub # 760267



Siphon with base inlet for whirltub # 760267

	Height	including acrylic panel
<b>X</b> Bathtub	485	600
<b>X</b> Whirltub	485	600


### Technical specifications

Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, ID	Whirlsystem	Model-No.
70,5	161	112,5	180 x 140 x 77	3/4", 1/2"		<b>700267 00 0 00 0000</b>
77,0	164	119,0	180 x 140 x 77	3/4"	Air-System	<b>760267 00 0 AS 0000</b>
80,0	165	122,0	180 x 140 x 77	3/4"	Jet-System	<b>760267 00 0 JS 1000</b>
86,0	168	128,0	180 x 140 x 77	3/4"	Combi-System P	<b>760267 00 0 CP 1000</b>
99,0 - 106,0	174 - 177	141,0 - 148,0	180 x 140 x 77	3/4"	Combi-System E	<b>760267 00 0 CE 1000</b>
106,0 - 113,0	177 - 180	148,0 - 155,0	180 x 140 x 77	3/4"	Combi-System L	<b>760267 00 0 CL 1000</b>


## Pre-installation Paiova # 700269/760269

✂ 1800 x 1400 x 460 ✂


Design by E00S




- H** Hot water connection
- C** Cold water connection
- D** Drain connection
- MW1** Mixed water connection for waste and overflow with water inlet
- MW2** Mixed water connection for waste and overflow with base inlet
- EC** Electricity connection




Siphon for bathtub # 700269



Siphon with base inlet for bathtub # 700269



Siphon for whirltub # 760269



Siphon with base inlet for whirltub # 760269

	Height	including acrylic panel
<b>X</b> Bathtub	485	600
<b>X</b> Whirltub	485	600

### Technical specifications

Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, ID	Whirlsystem	Model-No.
80,0	173	128,0	190 x 150 x 77	3/4", 1/2"		<b>700269 00 0 00 0000</b>
87,0	175	135,0	190 x 150 x 77	3/4"	Air-System	<b>760269 00 0 AS 0000</b>
90,0	177	138,0	190 x 150 x 77	3/4"	Jet-System	<b>760269 00 0 JS 1000</b>
96,0	179	144,0	190 x 150 x 77	3/4"	Combi-System P	<b>760269 00 0 CP 1000</b>
109,0 - 116,0	184 - 187	157,0 - 164,0	190 x 150 x 77	3/4"	Combi-System E	<b>760269 00 0 CE 1000</b>
116,0 - 123,0	187 - 190	164,0 - 171,0	190 x 150 x 77	3/4"	Combi-System L	<b>760269 00 0 CL 1000</b>

**DURAVIT AG**  
P.O. Box 240  
Werderstr. 36  
78132 Hornberg  
Germany  
Phone +49 78 33 70 0  
Fax +49 78 33 70 289  
[info@duravit.com](mailto:info@duravit.com)  
[www.duravit.com](http://www.duravit.com)

