

Talis M51

Single lever kitchen mixer 220, 1jet

Surfaces: **Chrome** Article Number: **73857000**



Description

product features

- ComfortZone 220
- swivel range adjustable in 3 steps 110°, 150° or 360°
- normal spray
- connection dimension: DN15
- maximum flow rate at 3 bar: 10 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- suitable for continuous flow water heaters
- P-IX 29605/IA
- DVGW NW-6506CT0434
- ACS 17 ACC LY 653, valide jusqu'au 20.07.2022
- Kiwa K6161_Mechanical Mixers EN817
- SVGW 1603-6490


Technology



Product image



Scale drawing




Talis M51

Single lever kitchen mixer 220, 1jet

Surfaces: **Chrome** Article Number: **73857000**



Flowchart




Talis M51
Single lever kitchen mixer 220, 1jet
 Surfaces: **Chrome** Article Number: **73857000**



Exploded Drawing

Year of production: >04/17



Talis M51

Single lever kitchen mixer 220, 1jet

Surfaces: **Chrome** Article Number: **73857000**



Spare part list

Year of production: >04/17

Pos.	Description	Article Number	PC	PU
1	spout cpl.	93147000	16	1
2	aerator M24x1 (15 l/min)	97691000	10	1
3	set of locating rings (110° / 150°)	98486000	5	1
4	sealing set	92646000	6	1
5	O-Ring 14x2,5	98189000	1	1
6	screw	97662000	3	1
7	axialring	97558000	1	1
8	handle	93148000	8	1
9	flange	95493000	6	1
10	nut	98864000	9	1
11	O-ring 23x2	98398000	1	1
12	O-ring 27x1,5	92527000	1	1
13	O-ring 25x1,5	98146000	1	1
14	cartridge, assy	97685000	11	1
15	seal	98865000	8	1
16	seal	92582000	1	1
17	support	97523000	2	1
18	fixing set (Ø 34)	95049000	5	1
19	lever collar	97548000	1	1
20	connection hose 900 mm M8x0,75 G3/8	98758000	8	1
21	O-ring 7x1,5	98422000	1	1
22	sealing set	95581000	2	1