Создать спецификацию



Kosmetikspiegel 17612019000 Косметическое зеркало

ИЗДЕЛИЕ



ОПИСАНИЕ ИЗДЕЛИЯ

с подсветкой, 5-уровневое переключение цвета подсветки от 2700 Кельвин (теплый белый) до 6500 Кельвин (дневной свет) стеклянная панель управления, спиралевидный кабель (400 мм),

настенная модель на кронштейне с шарниром, регулируется в трех плоскостях, одностороннее зеркало, вогнутое, коэфффициент увеличения х 5 Управление:

Стеклянная сенсорная панель и светодиодный индикатор Электроснабжение:

подключение к сети через подрозетник, 12 В встраиваемый сетевой блок питания, Напряжение на входе: 220-240 B, Потребление в режиме ожидания: < 0,5 Вт Подсветка:

Светодиод 4,5 Вт (срок работы > 50.000 часов) не требующая замены лампа

Класс потребления: А, 5 кВт-ч/1000ч

EEK: A, 5 kWh/1000h


поверхность

хром

Габариты

mit Sensorsteuerung

ЧЕРТЕЖ



спецификации

KEUCO iLook_move Cosmetic mirror, 17612019000 high quality cosmetic mirror, round, chrome-plated, illuminated, on pivoted rail, wall-mounted surface with 4 fixing points for optimal load distribution,

adjustable in three dimensions, one-sided mirror, magnification factor x 5,

power supply with in-wall adapter 230 V (included) and a white spiral cord, 400 mm,

Lighting: 1 x 4,5 Watt LED (maintance-free lamps),

Standby consumption: smaller 0,5 Watt,

high quality, easy to clean control panel with touch sensor technology,

Light colours: 2700 Kelvin (warm white) - 6500 Kelvin (daylight),

light colours can be adjusted individually,

Height wall fixing 180 mm, width ca. 45 mm,

max. heigt ca. 500 mm,

outside diameters 212 mm, max. depth ca. 300 mm,

delivery includes anti-corrosion fixings

Note:

Transformer to be housed in recessed function box (68mm)

Please go to www.keuco.de for detailed instructions and advise.